

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KPV - 10mg

Tested for: **NOVANTA RESEARCH**
NOVANTARESEARCH.COM

COA #: **COA-2026-956324**
Lot Number: **NVKPV10-0021**
Accession #: **ACC-2026-11963**
Labeled Content: **10mg**

Analysis Date: **07/31/2026**
Appearance: **Good**
Sample Matrix: **Lyophilized**
Volume: **3mL**
Date Received: **07/22/2026**

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: WUBVXV4Y


Method: **Full QC Panel**

Identity KPV	Peptide Purity 99.30%	 Fentanyl Free
------------------------	---------------------------------	--

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.30%	%	PASS
Net Blend Peptide Content	Report Only	10.2	mg	N/A
-- CJC-1295		5.00	mg	
-- Ipamorelin		5.20	mg	
Identity (HPLC-RTM)	CJC-1295 + IPAMORELIN	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



KPV 10mg - NVKPV10-0021: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	<i>Not Detected</i>	PASS
Cadmium (Cd)	NMT 0.5 ppm	<i>Not Detected</i>	PASS
Lead (Pb)	NMT 1 ppm	<i>Not Detected</i>	PASS
Mercury (Hg)	NMT 1.5 ppm	<i>Not Detected</i>	PASS
Chromium (Cr)	NMT 10 ppm	<i>Not Detected</i>	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	NMT 0.05 EU/mL	NMT 0.05 EU/mL	PASS

Acceptance criteria: NMT 0.05 EU/mL per client specification.

Notes & Methodology

1. Date Tested: 08/26/2026. Methods: Full QC Panel.
2. The sample was confirmed to be KPV by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (CJC-1295, Ipamorelin). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
7. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
8. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
8/26/2026

COA #: COA-2026-956324
Access Code: WUBVXV4Y
Verify: portal.ils-lab.com/verify/3oHA3GkeI3Kb8CdE
Issued: 8/26/2026